

Enprovin Plus

Probiotics, Prebiotic, Vitamins, Minerals & enzymes

Only for the use of animals

Composition

Each 100 g contains

Vitamin A	300000 IU,
Vitamin D3	35000 IU,
Vitamin E	150 IU,
Vitamin K3	100 mg,
Riboflavin	250 mg,
Niacin	400 mg,
Calcium D-Pantothenate	450 mg,
Pyridoxine	60 mg,
Methyl Sulphonyl Methane	1000 mg,
Dextran Oligosaccharide	250mg,
<i>Lactobacillus acidophilus</i>	6 billion CFU,
<i>Bifidobacterium bifidum</i>	1 billion CFU,
<i>Saccharomyces boulardii</i>	2 billion CFU,
<i>Aspergillus oryzae</i>	1 billion CFU,
Phytase	20000 IU,
Protease	20000 IU,
Xylanase	1500000 IU,
Potassium Chloride	4500 mg,
Sodium Sulphate	4500 mg,
Dextrose QS.	

Pharmacology

Probiotics- are live microorganisms that are intended to have health benefits. Competitive exclusion of harmful bacteria and increase growth of beneficial bacteria. Stimulates immunity.

Prebiotic- indigestible carbohydrate that beneficially affect the host by stimulating the growth or activity of beneficial bacteria.

Vitamin A- Maintains the integrity of epithelial cells and mucous membrane.

Vitamin D- Involves in Calcium & Phosphorus absorption, bone mineralization, parathormone synthesis and strong immunity.

Vitamin E- Acts as a powerful antioxidant.

B-Complex- Helps in carbohydrate, fat and protein metabolism. Methyl Sulphonyl Acts as anti-inflammatory and anti-oxidant Methane

Enzymes- Helps in digestion and reduces the effects of anti-nutritional factors

Minerals (Na+, K+): Maintains the fluid balance in the body

Indication

- ❖ Improves immunity
- ❖ Ensures gut health and reduces the incidence of diseases
- ❖ Improves digestion and absorption
- ❖ Improves FCR
- ❖ Increases meat &/or egg production

Dosage and Administration

Poultry: 1 g/ 2-3 liters of drinking water.

or as directed by the registered veterinarian.

Contraindication

It is recommended not to use antibiotics with Enprovin Vet and if antibiotic treatment is required, use Prozyme Vet 24 hours after the last day of antibiotic treatment.

Side Effects

Generally recognized as safe.

Withdrawal Period Meat & Egg: 0 (zero) days.

Storage:

Store below 30°C temperature, protected from light & keep in cool and dry place. Keep all medicines out of reach of children.

Supply

100 g and 500 g container.

Manufactured by:
サンザイム

Sanzyme Biologics

Banjara Hills, Hyderabad, India



Marketed by:

Navana Pharmaceuticals Ltd.

Rupshi, Rupganj, Narayanganj, Bangladesh.