Dexolyte

Electrolyte

Only for the use of animals

Composition

Each gram Powder contains:

Sodium Bicarbonate BP 500 mg
Sodium Chloride BP 266 mg
Potassium Chloride BP 500 mg
Vitamin A 2000 IU
Dextrose Anhydrous BP 180 mg

Pharmacology:

Dexolyte Powder maintains the fluid & electrolyte balance, acid-base balance in the body. It fulfills the deficiency of electrolyte & mineral in case of diarrhoea /dehydration. It prevents stress (fluid loss) during transportation of Day-old chicks. Dexolyte increases enzyme activity & promotes Feed Conversion Ratio. Dexolyte Ensure muscles function & nerve stability. It increases blood hemoglobin level. Dexolyte increases the body weight of broiler & production percentage of layer.

Indications:

- 1. Watery faeces of the animals, vomiting, blood seduction, acitis, scour of the calves, metabolic acidosis, or water loss or ill health occurs by any other means.
- 2. Besides, it can be concomitantly used with antibiotic for obtaining highest efficacy or an adjunct therapy with any other medicine used in case of bacterial or viral diseases of the animal.
- 3. Dexolyte helps in removing food and water apathy at the disease period. To prevent water loss during the transportation of the animal.

Dosage & Administration

With water: 100 gm Dexolyte powder mixed with 80 Liter of water for 3-5 days.

With feed: 1kg or 1000gm Dexolyte powder mixed with 350 kg feed for 3-5 days.

Or as directed by the registered Veterinarian.

Use in pregnant and lactating animal:

Chick Vit-MA may be used in pregnant & lactating animals.

Withdrawal Period:

Egg, Meat & Milk-(o) Zero days

Storage:

Store below at 30°C temperature. Protect from light. Keep all medicines out of reach of children.

Packing

17 x 1 Kg Sachet in a bucket.

Manufactured by

Navana Pharmaceutical Ltd.

Rupshi, Rupganj, Narayanganj, Bangladesh