N-bion

Thiamine Mononitrate USP 100 mg
Pyridoxine Hydrochloride BP 200 mg
& Cyanocobalamin BP 200 mcg

Composition

N-bion Tablet: Each film coated tablet contains Thiamine Mononitrate USP 100 mg, Pyridoxine Hydrochloride BP 200 mg & Cyanocobalamin BP 200 mcg.

Pharmacology

N-bion is a special preparation of Thiamine Mononitrate (B_1); Pyridoxine Hydrochloride (B_6) and Cyanocobalamin (B_{12}). The vitamins B_1, B_6 and B_{12} are indispensable for a normal course of the nervous metabolism.

Indications

N-bion is indicated for the treatment of B_1, B_6 and B_{12} deficiency syndrome.

It is also indicated in the treatment of Polyneuropathy of any origin such as - diabetic, alcoholic or toxic neuropathies, neuritis, neuralgia, cervical Syndrome, Lumbago, Sciatica, Myalgia, Intercostal Neuralgia, Herpes Zoster, Trigeminal Neuralgia, Supportive treatment in facial paresis.

Dose & Administration

Ideally, 1 to 3 tablets may be administered per day **or as directed by the physician.**

Contraindications

Should not be used in the patients on Levodopa therapy and hypersensitivity to any of the active ingredients.

Warnings & Precautions

Cyanocobalamin should not be given before a diagnosis has been fully established because of the possibility of masking symptoms of sub-acute degeneration of the spinal cord. Cyanocobalamin is not a suitable form of Vitamin B_{12} for the treatment of optic neuropathies associated with raised plasma concentrations of Cyanocobalamin.

Side Effects

Generally well tolerated. However, a few allergic reactions may be seen.

Use in pregnancy & lactation:

Sufficient data yet not available in this respect.

Use In Children & Adolescents:

No data available.

Drug Interactions:

No such drug interactions have been reported.

Overdose

If there is known overdose then treatment is symptomatic and supportive.

Storage

Store below 30°C., away from light and in a dry place. Keep out of the reach of children.

Packing

N-bion Tablet: Each box contains 5X10 tablets in blister pack and an insert.

Manufactured by:
Navana Pharmaceuticals Ltd.
Rupshi, Rupganj, Narayanganj, Bangladesh

NAVANA PHARMA

NCLT0692_01-23_00