Sulderm Cream

Sulconazole Nitrate USP 1%

Composition:

Sulderm Cream: Each gram cream contains Sulconazole Nitrate USP 10 mg.

Pharmacology:

Sulconazole Nitrate is an imidazole derivative with broad-spectrum antifungal activity that inhibits the growth in vitro of the common pathogenic dermatophytes including Trichophyton rubrum, Trichophyton mentagrophytes, Epidermophyton floccosum and Microsporum canis. It also inhibits Malassezia furfur which is responsible for Tinea Versicolor.

Indications:

Sulderm Cream is indicated for the treatment of Tinea Pedis (athlete's foot), Tinea Cruris, Tinea Corporis & Pityriasis Versicolor.

Dosage & Administration:

A small amount of cream should be gently massaged into the affected and surrounding skin areas once or twice daily, in case of Tinea Pedis where administration should be twice daily. Early relief of symptoms is experienced by the majority of patients and clinical improvement may be seen fairly soon after treatment is begun; however, Tinea Corporis, Tinea Cruris and Tinea Versicolor should be treated for 3 weeks and Tinea Pedis for 4 weeks to reduce the possibility of recurrence. **Or as directed by the physician.**

Contraindication:

Sulconazole Nitrate cream, is contraindicated in patients who have a history of hypersensitivity to any of its ingredients.

Warnings and Precautions:

Sulconazole Nitrate cream is for external use only. Avoid contact with the eyes. If irritation develops, the cream should be discontinued and appropriate therapy instituted.

Side Effects:

There were no systemic effects.

Use in Pregnancy and Lactation:

The use of Sulconazole is not safe for pregnant women.

Use in Children and Adolescents:

Safety and effectiveness in children have not been established.

Drug Interactions:

There are no data available.

Overdosage:

There are no data available.

Storage:

Store below 30°C, protected from light & in a dry place. Keep all medicines out of the reach of children.

Packing:

Sulderm Cream 15 g: Each box has a laminated tube containing 15 g cream & an insert.

Sulderm Cream 30 g: Each box has a laminated tube containing 30 g cream & an insert.

Manufactured by:
Navana Pharmaceuticals PLC.
Rupshi, Rupganj, Narayanganj, Bangladesh
NCLT0714_08-24_01

NAVANA PHARMA

সালডার্ম ক্রীম

সালকোনাজল নাইট্রেট ইউএসপি ১%

উপাদান:

সালডার্ম ক্রীম: প্রতি গ্রাম ক্রীমে রয়েছে সালকোনাজল নাইট্রেট ইউএসপি ১০ মি.গ্রা.।

ফার্মাকোলজি:

সালকোনাজল নাইট্রেট ব্রড স্পেকট্রাম ছত্রাকবিরোধী কার্যকারিতা সমৃদ্ধ ইমিডাজল ডেরিভেটিভ, যা ইনভিট্রোতে ট্রাইকোফাইটন রুব্রাম, ট্রাইকোফাইটন মেন্টাগ্রোফাইটস, এপিডার্মোফাইটন ফ্লোকোসাম এবং মাইক্রোস্পোরাম ক্যানিসসহ সাধারণ প্যাথোজেনিক ডার্মাটোফাইটগুলির বৃদ্ধিকে বাঁধা দেয়। এটি টিনিয়া ভার্সিকালার এর জন্য দায়ী ম্যালাসসেজিয়া ফুরফুরকেও বাঁধা দেয়।

নির্দেশনা:

সালডার্ম ক্রীম পিটাইরিয়াসিস ভার্সিকালার, টিনিয়া পেডিস, টিনিয়া ক্রুরিস এবং টিনিয়া করপোরিস চিকিৎসায় নির্দেশিত।

মাত্রা ও ব্যবহারবিধি:

আক্রান্ত এবং আশেপাশের ত্বকের স্থানে সামান্য পরিমাণে ক্রীম প্রতিদিন একবার বা দু'বার আলতোভাবে ম্যাসাজ করা উচিত। টিনিয়া পেডিস এর ক্ষেত্রে প্রতিদিন দু'বার ব্যবহার করতে হবে। প্রাথমিক লক্ষণগুলি বেশিরভাগ রোগীর ক্ষেত্রে প্রথমেই দেখা যায় এবং চিকিৎসা শুরু হওয়ার পর খুব শীঘ্রই উন্নতি দেখা যায়, তবে পুনরাবৃত্তির সম্ভাবনা হ্রাস করতে টিনিয়া কর্পোরিস, টিনিয়া ক্রুরিস এবং টিনিয়া ভার্সিকালার ৩ সপ্তাহ এবং টিনিয়া পেডিস এর ক্ষেত্রে ৪ সপ্তাহের জন্য ব্যবহার করা উচিত **অথবা চিকিৎসকের পরামর্শ অনুযায়ী ব্যবহারযোগ্য।**

প্রতিনির্দেশনা:

সালকোনাজল নাইট্রেট ক্রীম এর সক্রিয় উপাদানের প্রতি অতিসংবেদনশীলতা আছে, এমন রোগীর ক্ষেত্রে এটি প্রতিনির্দেশিত।

সাবধানতা ও সতর্কতা:

সালকোনাজল নাইট্রেট ক্রীম কেবলমাত্র বাহ্যিক ব্যবহারের জন্য। চোখের সংস্পর্শ এড়িয়ে চলতে হবে। যদি জ্বালাপোড়া হয়, তাহলে ক্রীমটি বন্ধ করে দেওয়া উচিত এবং উপযুক্ত চিকিৎসা করা উচিত।

পার্শ্বপ্রতিক্রিয়া:

সিস্টেমে এটার কোনো ক্রিয়া নেই।

গর্ভাবস্থায় এবং স্তন্যদানকালে ব্যবহার:

সালকোনাজোলের ব্যবহার গর্ভবতী মহিলাদের ক্ষেত্রে নিরাপদ নয়।

শিশু ও বয়ঃসন্ধিকালীন ব্যবহার:

শিশুদের ক্ষেত্রে নিরাপত্তা এবং কার্যকারিতা প্রতিষ্ঠিত হয়নি।

অন্য ওষুধের সাথে ক্রিয়া:

কোনো তথ্য পাওয়া যায়নি।

অতিমাত্রা:

কোনো তথ্য পাওয়া যায়নি।

সংরক্ষণ:

৩০°সে. তাপমাত্রার নিচে, আলো থেকে দূরে ও শুষ্ক স্থানে সংরক্ষণ করুন। সকল ওষুধ শিশুদের নাগালের বাইরে রাখুন।

মোড়ক:

সালডার্ম ১৫ গ্রাম ক্রীম: প্রতিটি বাক্সে রয়েছে ১৫ গ্রাম ক্রীমের একটি লেমিনেটেড টিউব এবং একটি নির্দেশিকা।

সালডার্ম ৩০ গ্রাম ক্রীম: প্রতিটি বাক্সে রয়েছে ৩০ গ্রাম ক্রীমের একটি লেমিনেটেড টিউব এবং একটি নির্দেশিকা।

প্রস্তুতকারক:
নাভানা ফার্মাসিউটিক্যালস্ পিএলসি.
রূপসী, রূপগঞ্জ, নারায়ণগঞ্জ, বাংলাদেশ

নাভানা ফার্মা