

এন-বিওন

থায়ামিন মনোনাইট্রেট ইউএসপি ১০০ মি.গ্রা.
পাইরিডক্সিন হাইড্রোক্লোরাইড বিপি ২০০ মি.গ্রা.
এবং সায়ানোকোবালামিন বিপি ২০০ মাইক্রোগ্রাম

উপাদান

এন-বিওন ট্যাবলেট প্রতটি ফিল্ম কোটেড ট্যাবলেটে রয়েছে থায়ামিন মনোনাইট্রেট ইউএসপি ১০০ মি.গ্রা., পাইরিডক্সিন হাইড্রোক্লোরাইড বিপি ২০০ মি.গ্রা. এবং সায়ানোকোবালামিন বিপি ২০০ মাইক্রোগ্রাম।

ফার্মাকোলজি

এন-বিওন থায়ামিন মনোনাইট্রেট (বি_১); পাইরিডক্সিন হাইড্রোক্লোরাইড (বি_৬) এবং সায়ানোকোবালামিন (বি_{১২}) এর সমন্বয়ে তৈরি একটি বিশেষ ভিটামিন যা স্নায়ুতন্ত্রের স্বাভাবিক বিপাকের জন্য প্রয়োজনীয়।

নির্দেশনা

এন-বিওন ভিটামিন-বি_১, বি_৬ এবং বি_{১২} এর অভাবজনিত রোগসমূহে নির্দেশিত। এছাড়াও ইহা যে কোন অঙ্গের পলিনিউরোপ্যাথিতে যেমন- ডায়াবেটিক, অ্যালকোহলিক অথবা টব্লিক নিউরোপ্যাথী, নিউরাইটিস স্নায়ুবেদনা, স্মারভিক্যাল সিনড্রম, কটাঝাত, নিতম্ববেদনা, পেশীশূল, দুইটি পুঞ্জরাস্থির মধ্যস্থিত স্নায়ুবেদনা, স্নায়ুপ্রান্তের বিসর্পিকা, পঞ্চম স্নায়ুগণের তীব্র যন্ত্রণাপ্রদ বেদনা, মুখমন্ডলীয় আংশিক পক্ষাঘাতে চিকিৎসায় নির্দেশিত।

মাত্রা ও সেবনবিধি

দিনে ১-৩ টি করে ট্যাবলেট খাবারের পরে দেয়া যেতে পারে অথবা চিকিৎসকের পরামর্শ অনুযায়ী।

প্রতিনির্দেশনা

যে সকল রোগী লেভোডোপা গ্রহণ করছে এবং যাদের যেকোন একটি সক্রিয় উপাদানের প্রতি অতিসংবেদনশীলতা রয়েছে তাদের ক্ষেত্রে ব্যবহার করা উচিত নয়।

সাবধানতা ও সতর্কতা

যতক্ষণ পর্যন্ত না ডায়াগনোসিস প্রমাণিত হয় ততক্ষণ সায়ানোকোবালামিন দেয়া উচিত নয়, কারণ তা সাব-অ্যাকিউট ডিজেনারেশন অব স্পাইনাল কর্ড এর উপসর্গসমূহ আবৃত করে রাখতে পারে। সায়ানোকোবালামিন ভিটামিন বি_{১২} এর উপযুক্ত উপস্থাপন নয় যা উচ্চ সায়ানোকোবালামিন মাত্রা যুক্ত অপটিক নিউরোপ্যাথীতে নির্দেশিত।

পার্শ্বপ্রতিক্রিয়া

সাধারণত সু-সহনীয় তবে অ্যালার্জিক বিক্রিয়া দেখা দিতে পারে।

গর্ভাবস্থায় ও স্তন্যদানকালে ব্যবহার

মুখে সেবনযোগ্য ভিটামিন বি_১, বি_৬ এবং বি_{১২} প্রয়োজন অনুযায়ী নির্দেশিত।

শিশু ও বয়ঃসন্ধিকালীন ব্যবহার

পর্যাপ্ত তথ্য নেই।

অন্য গুরুত্বপূর্ণ সাথের ক্রিয়া

তেমন কোনো ড্রাগ ইন্টারাকশনের তথ্য পাওয়া যায়নি।

অতিমাত্রা

যদি জানামতে মাত্রাধিক্য থাকে তাহলে লক্ষণভিত্তিক এবং সহযোগী চিকিৎসা নির্দেশিত।

সংরক্ষণ

৩০°সে. তাপমাত্রার নিচে, আলো থেকে দূরে ও শুষ্ক স্থানে সংরক্ষণ করুন। শিশুদের নাগালের বাইরে রাখুন।

মোড়ক

এন-বিওন ট্যাবলেট প্রতটি বাস্তবে রয়েছে ৫x১০ টি ট্যাবলেট অ্যালু-পিভিডি সিলিস্টার প্যাকে এবং একটি নির্দেশিকা।

প্রস্তুতকারক:

নাবানা ফার্মাসিউটিক্যালস পিএলসি.

রূপসী, রূপগঞ্জ, নারায়ণগঞ্জ, বাংলাদেশ

নাবানা ফার্মা

N-bion

Thiamine Mononitrate USP 100 mg
Pyridoxine Hydrochloride BP 200 mg
& Cyanocobalamin BP 200 mcg

Composition

N-bion Tablet: Each film coated tablet contains Thiamine Mononitrate USP 100 mg, Pyridoxine Hydrochloride BP 200 mg & Cyanocobalamin BP 200 mcg.

Pharmacology

N-bion is a special preparation of Thiamine Mononitrate (B₁), Pyridoxine Hydrochloride (B₆) and Cyanocobalamin (B₁₂). The Vitamins B₁, B₆ and B₁₂ are indispensable for a normal course of the nervous metabolism.

Indications

N-bion is indicated for the treatment of B₁, B₆ and B₁₂ deficiency syndrome.

It is also indicated in the treatment of Polyneuropathy of any origin such as - Diabetic, Alcoholic or Toxic Neuropathies, Neuritis, Neuralgia, Cervical Syndrome, Lumbago, Sciatica, Myalgia, Intercostal Neuralgia, Herpes Zoster, Trigeminal Neuralgia, Facial Paresis.

Dosage & Administration

Ideally, 1 to 3 tablets may be administered after meal per day or as directed by the physician.

Contraindications

Should not be used in the patients on Levodopa therapy and hypersensitivity to any of the active ingredients.

Warnings & Precautions

Cyanocobalamin should not be given before a diagnosis has been fully established because of the possibility of masking symptoms of sub-acute degeneration of the spinal cord. Cyanocobalamin is not a suitable form of Vitamin B₁₂ for the treatment of optic neuropathies associated with raised plasma concentrations of Cyanocobalamin.

Side Effects

Generally well tolerated. However, a few allergic reactions may be seen.

Use in Pregnancy & Lactation

Oral tablet of Vitamin B₁, B₆ & B₁₂ is recommended when required.

Use in Children & Adolescents

No data available.

Drug Interactions

No such drug interactions have been reported.

Overdosage

If there is known overdose then treatment is symptomatic and supportive.

Storage

Store below 30°C., away from light and in a dry place. Keep out of the reach of children.

Packing

N-bion Tablet: Each box contains 5X10 tablets in Alu-PVDC blister pack and an insert.

Manufactured by:

Navana Pharmaceutical PLC.

Rupshii, Ruppangji, Narayanganj, Bangladesh

NCLT0692_04-24_01

NAVANA PHARMA