Cfresh[™]Liquigel

Carboxymethylcellulose Sodium 1% Sterile Eye Drops

Composition Cfresh™Liquigel Sterile Eye Drops: Each ml drops

contains Carboxymethylcellulose Sodium USP 10 mg. Preservative: Sodium Perborate 0.001%

lubricating and hydrating protective shield on the ocular

Pharmacology

Cfresh™ LiquigeI contains Carboxymethylcellulose Sodium which acts as an ocular lubricant. It provides

surface. Indications

It is indicated for use as a lubricant in dry eve

irritation and/or discomfort due to dryness of the eye. Dosage & Administration

(keratoconiunctivitis sicca) including relief of burning.

Instill 1 or 2 drops in the affected eye(s) or as directed

by the physician.

Contraindications

Contraindicated in hypersensitivity to any of the ingredients.

Warning & Precaution Concomitant ocular medication should be administered 5

minutes prior to the installation of this eye drop.

Burning, eye irritation/pruritus, visual disturbance, ocular discharge were reported with this eye drops.

Use in Pregnancy & Lactation

Safe use during pregnancy and lactation has not been established

Use in Children & Adolescents

No information available

Drug Interactions

No information available

Overdosage

No information available

Storage Store below 30°C, away from light and in a dry place.

Keep all medicines out of the reach of children.

Packing

Manufactured by:

NCLT0556 01-22 03

Cfresh™Liquigel Sterile Eye Drops: Each plastic dropper bottle containing 10 ml Sterile lubricant eye drops and an insert.

NAVANA PHARMA Navana Pharmaceuticals Ltd. Rupshi, Rupganj, Narayanganj, Bangladesh

কার্বোক্রিমিথাইলসেললোজ সোডিয়াম ১%

জীবাণুমুক্ত চোখের ড্রপস

উপাদান সিফেশ™ লিকইজেল জীবাণমক্ত চোখের দ্রপস: প্রতি মি.লি. দ্রপস-এ

রয়েছে কার্বোক্সিমিথাইলসেললোজ সোডিয়াম ইউএসপি ১০ মি.গ্রা.।

প্রিজারভেটিভ: সোডিয়াম পারবোরেট ০ ০০১%

ফার্মাকোলজী

সিফ্রেশ[™] লিকইজেল-এ আছে কার্বোক্সিমিথাইলসেলুলোজ সোডিয়াম যা

চোখের লবিক্যান্ট হিসেবে কাজ করে। এটি চোখের উপরিভাগকে পিচ্ছিল ও আর্দ রাখে।

নির্দেশনা

এটি লবিক্যান্ট হিসেবে ব্যবহারের (কেরাটোকনজাংটিভাইটিস সিকা) এবং শুষ্ক চোখজনিত জালাপোডা এবং/অথবা অম্বন্ধির চিকিৎসায় নির্দেশিত।

মাত্রা ও ব্যবহাববিধি

চিকিৎসকের পরামর্শ অন্যায়ী ব্যবহারযোগ্য।

১ থেকে ২ ফোঁটা করে আক্রান্ত চোখে প্রয়োগ করতে হবে অথবা

কোনো উপাদানের প্রতি অতিসংবেদনশীলতায় প্রতিনির্দেশিত।

প্রতিনির্দেশনা

সাবধানতা ও সতর্কতা

এই ওষধ প্রয়োগের ৫ মিনিট পর্বে চোখের অন্যান্য ওষধ প্রয়োগ করতে

হবে।

পার্শ্বপ্রতিক্রিয়া জালাপোড়া, চোখে স্পর্শকাতরতা/চুলকানো, দৃষ্টিতে সমস্যা এবং

চোখের অশ্রুর নিঃসরণ পার্শপ্রতিক্রিয়া হিসেবে সাধারণত চোখ লক্ষ্য করা

গেছে। গর্ভাবস্থায় এবং স্তন্যদানকালে ব্যবহার

হয়নি।

শিশু ও বয়:সন্ধিকালীন ব্যবহার কোনো তথ্য পাওয়া যায়নি।

অন্য ওষুধের সাথে প্রতিক্রিয়া

কোনো তথ্য পাওয়া যায়নি।

অতিমাত্রা

কোনো তথ্য পাওয়া যায়নি।

সংরক্ষণ

৩০°সে. তাপমাত্রার নিচে, আলো থেকে দূরে ও শুষ্ক স্থানে সংরক্ষণ

মোডক

সিফেশ[™] লিকুইজেল জীবাণুমুক্ত চোখের দ্রপস্: প্রতিটি প্লাষ্টিক দ্রপার বোতলে রয়েছে জীবাণুমুক্ত লুব্রিক্যান্ট ১০ মি.লি. চোখের ড্রপস্ এবং একটি নির্দেশিকা।

করুন। সকল ওষধ শিশুদের নাগালের বাইরে রাখন।

গর্ভাবস্থায় এবং স্কন্যদানকালীন সময়ে এই ওমধের নিরাপত্তা প্রতিষ্ঠিত

নাভানা ফার্মাসিউটিক্যালস লিঃ রূপসী, রূপগঞ্জ, নারায়ণগঞ্জ, বাংলাদেশ।